



SLEEK
WALLS

SPC WATERPROOF WALL PANELS

THE 2026 COLLECTION



SLEEK WALLS

WALL PANELS, REIMAGINED.

Sleek Walls is a collection of waterproof SPC wall panels designed for bathrooms and wet areas. Large-format panels combine contemporary finishes with fast installation, easy maintenance and no grout required.

- 01 FULLY WATERPROOF
- 02 FASTER INSTALLATION
- 03 NO GROUT REQUIRED
- 04 LARGE FORMAT DESIGN
- 05 EASY MAINTENANCE

SIMPLE INSTALLATION.

Large-format panels and click technology allow bathroom and wet-area walls to be transformed faster than traditional tiling.



01
PREPARE
SURFACE



02
APPLY
ADHESIVE



03
POSITION
PANEL



04
CLICK
TOGETHER



05
SEAL
EDGES



THE SLEEK COLLECTION.

A curated collection of contemporary finishes designed for
bathrooms and wet areas.




CALACATTA WHITE
SPW-37-2400600-CW



ASH STONE
SPW-37-2400600-AS



SOFT CONCRETE
SPW-37-2400600-SC



GRAPHITE MARBLE
SPW-37-2400600-GM



SAND TERRAZZO
SPW-37-2400600-ST



MIST TERRAZZO
SPW-37-2400600-MT



OXIDE BRONZE
SPW-37-2400600-OB

THE COLLECTION



CALACATTA WHITE

Clean white marble styling with soft grey veining.



ASH STONE

A versatile warm grey stone effect.



SOFT CONCRETE

A subtle cement-inspired finish with a clean architectural appearance.



GRAPHITE MARBLE

A dramatic dark stone finish for statement shower areas.

THE COLLECTION



SAND TERRAZZO

Warm, natural terrazzo styling with contemporary appeal.



MIST TERRAZZO


A lighter terrazzo finish designed for bright, modern spaces.



OXIDE BRONZE

A distinctive oxidised metal-inspired design bringing warmth and character.

TECHNICAL DATA.



2400 mm

600 mm

PANEL EDGE - 3.7 mm total thickness - 0.1 mm wear layer

THE SLEEK WALLS PANEL

2400 × 600 mm

Total thickness **3.7 mm**

Wear layer **0.1 mm**

Pack **2 panels**

Pack coverage **2.88 m²**

CLASSIFICATION

Reaction to fire	EN 13501-1	B-s2,d0
Thermal resistance	EN 12667	0.010 m²K/W
Dimensional stability	EN ISO 23999	≤ 0.05 %
Residual indentation	EN ISO 24343	0.01 mm
Formaldehyde content	EN 12149	Passed
Heavy metals content	EN 12149	Passed
Vinyl chloride monomer	EN 12149	Passed
Sound absorption	EN ISO 354	NPD

PERFORMANCE

Residual indentation	EN ISO 24343	0.01 mm
Scratch resistance	EN ISO 1518	24 N
Stain & chemical	EN ISO 26987	Index 0
Abrasion resistance	EN ISO 13329	500 cycles
Environment	—	100 % recyclable



TRANSFORM YOUR BATHROOM.

Waterproof SPC wall panels. Beautiful finishes. Designed for modern bathrooms and wet areas.



[SLEEK-WALLS.COM](https://sleek-walls.com)